

9 pages

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("4813024").PN.	USPAT; USOCR	OR	OFF	2004/07/08 15:32
S2	87	((multiple or plural\$3 or second or other) near2 processor\$2) with cryptograph\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:01
S3	4	("5410726" "5423044" "5530753" "5675724").PN.	USPAT	OR	ON	2005/04/05 14:36
S4	0	"6047375".URPN.	USPAT	OR	ON	2005/04/05 14:36
S5	1	("4870681").PN.	USPAT; USOCR	OR	OFF	2004/07/08 17:21
S6	1	("6101255").PN.	USPAT; USOCR	OR	OFF	2004/07/08 17:22
S7	1	("6141422").PN.	USPAT; USOCR	OR	OFF	2004/07/08 17:22
S8	193	(parallel or simultaneous\$2) near3 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (process\$3 or operation\$1 or function\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:37
S9	1	("6477646").PN.	USPAT; USOCR	OR	OFF	2004/07/08 18:16
S10	15	"4731843".URPN.	USPAT	OR	ON	2005/04/05 15:01
S11	1	("6378009").PN.	USPAT; USOCR	OR	OFF	2004/07/08 19:55
S12	1	("6378021").PN.	USPAT; USOCR	OR	OFF	2004/07/08 19:55
S13	1	("6378072").PN.	USPAT; USOCR	OR	OFF	2004/07/08 20:27
S14	0	((multiple or plural\$3 or second or other) near2 processor\$2) same ((dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or functions or task\$1 or proses\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 15:01
S15	11	(dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (operation\$1 or functions or task\$1 or proses\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 15:03

EAST Search History

S16	40	(dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (key\$1 or random near2 (value\$1 or number\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 15:04
S17	1	meislahn and angelo.in.	USPAT	OR	ON	2004/07/09 12:48
S18	1	("4813024").PN.	USPAT; USOCR	OR	OFF	2004/07/09 15:24
S19	7	"4813024".URPN.	USPAT	OR	ON	2005/04/05 15:05
S20	6	feyt.in. and benoit.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/09 14:06
S21	418	kocher.in.	US-PGPUB; USPAT	OR	ON	2004/07/09 15:26
S22	1	kocher-paul.in.	US-PGPUB; USPAT	OR	ON	2004/07/09 15:27
S23	7	kocher.in. and (leak\$ near3 cryptograph\$2)	USPAT	OR	ON	2005/04/05 18:57
S24	3026	713/172,174,192,193,200, 340;380/29-30;705/65.ccls. and @ad<"20000108"	US-PGPUB; USPAT	OR	ON	2005/04/05 15:06
S25	361	(713/172,174,192,193,200, 340;380/29-30;705/65.ccls. and @ad<"20000108") and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing))	US-PGPUB; USPAT	OR	ON	2004/07/09 18:07
S26	152	((713/172,174,192,193,200, 340;380/29-30;705/65.ccls. and @ad<"20000108") and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing))) and ((cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or processing or function\$1 or task\$1))	US-PGPUB; USPAT	OR	ON	2005/04/05 15:07

EAST Search History

S27	96	((713/172,174,192,193,200,340;380/29-30;705/65.ccls. and @ad<"20000108") and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing))) and ((cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or processing or function\$1 or task\$1))) and (parallel or simultaneous\$2)	US-PGPUB; USPAT	OR	ON	2004/07/09 17:56
S28	40	(713/172,174,192,193,200,340;380/29-30;705/65.ccls. and @ad<"20000108") and ("power consumption" near5 (anal\$5 or monitor\$3))	US-PGPUB; USPAT	OR	ON	2005/04/05 15:15
S29	12	((713/172,174,192,193,200,340;380/29-30;705/65.ccls. and @ad<"20000108") and ("power consumption" near5 (anal\$5 or monitor\$3))) and ((extract\$3 or obtain\$3) near3 (secret or key\$1 or information))	US-PGPUB; USPAT	OR	ON	2004/07/09 18:10
S30	5	(713/172,174,192,193,200,340;380/29-30;705/65.ccls. and @ad<"20000108") and ("differential power analysis" or dpa)	US-PGPUB; USPAT	OR	ON	2004/07/09 18:44
S31	22	(complementary near3 operation\$1) same (cryptograph\$2 or encrypt\$3 or decrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:01
S32	84	((random near3 (assign\$3 or select\$3)) with \$processor\$1) and (cryptograph\$2 or encrypt\$3 or decrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:03
S12 6	55	((multiple or plural\$3 or second or other) near2 processor\$2) with cryptograph\$2 and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:18
S12 7	0	S126 and ((dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:24

EAST Search History

S12 8	1	S126 and ("differential power analysis" or dpa)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:26
S12 9	14	S126 and parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:19
S13 0	4	("5410726" "5423044" "5530753" "5675724").PN.	USPAT	OR	ON	2005/04/05 14:36
S13 1	0	"6047375".URPN.	USPAT	OR	ON	2005/04/05 14:36
S13 2	128	(parallel or simultaneous\$2) near3 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (process\$3 or operation\$1 or function\$1) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:57
S13 4	16	"4731843".URPN.	USPAT	OR	ON	2005/04/05 15:01
S13 5	0	((multiple or plural\$3 or second or other) near2 processor\$2) same ((dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or functions or task\$1 or proses\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 15:02
S13 6	8	(dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (operation\$1 or functions or task\$1 or proses\$3) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 15:03
S13 7	25	(dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (key\$1 or random near2 (value\$1 or number\$1)) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 07:53
S13 8	8	"4813024".URPN.	USPAT	OR	ON	2005/04/05 15:05
S13 9	3939	713/172,174,192,193,200, 340;380/29-30;705/65.ccls. and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT	OR	ON	2005/09/21 07:58

EAST Search History

S14 0	201	S139 and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing)) and ((cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or processing or function\$1 or task\$1))	US-PGPUB; USPAT	OR	ON	2005/04/05 15:08
S14 1	28	S139 and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing)) same ((cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or processing or function\$1 or task\$1))	US-PGPUB; USPAT	OR	ON	2005/04/05 15:08
S14 3	54	S139 and ("power consumption" near5 (anal\$5 or monitor\$3))	US-PGPUB; USPAT	OR	ON	2005/04/05 18:44
S14 4	23	S143 and ((extract\$3 or obtain\$3) near3 (secret or key\$1 or information))	US-PGPUB; USPAT	OR	ON	2005/04/05 15:16
S14 5	19	("4641346" "4641347" "4725718" "4757537" "4775246" "4802218" "4831555" "4853961" "4932053" "4997288" "5500601" "5533123" "5995629" "6154734" "6327661" "6419159" "6498404" "6510518" "6594760").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/05 15:24
S14 6	32	("4932053").URPN.	USPAT	OR	ON	2005/04/05 16:38
S14 7	4	("4932053" "5594493" "5796083" "5815577").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/05 18:01
S15 0	50	ugon-michel.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:01
S15 1	23	S139 and ("power consumption" near5 (anal\$5 or monitor\$3)) and ((extract\$3 or obtain\$3) near3 (secret or key\$1 or information))	US-PGPUB; USPAT	OR	ON	2005/04/05 18:47
S15 2	15	S139 and ("differential power analysis" or dpa)	US-PGPUB; USPAT	OR	ON	2005/04/05 18:47

EAST Search History

S15 3	12	kocher.in. and (leak\$ near3 cryptograph\$2)	US-PGPUB; USPAT	OR	ON	2005/04/05 18:57
S15 4	25	(complementary near3 operation\$1) same (cryptograph\$2 or encrypt\$3 or decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:01
S15 5	57	((random near3 (assign\$3 or select\$3)) with \$processor\$1) and (cryptograph\$2 or encrypt\$3 or decrypt\$3) and (@ad<"20001227" or @rlad<"20001227"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:03
S15 6	55	((multiple or plural\$3 or second or other) near2 processor\$2) with cryptograph\$2 and (@ad<"20001227" or @rlad<"20001227"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 13:22
S15 9	0	S156 and ((dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3 or program or operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 13:24
S16 0	1	S156 and ("differential power analysis" or dpa)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:26
S16 1	18	("4641346" "4641347" "4725718" "4757537" "4775246" "4802218" "4831555" "4853961" "4932053" "4997288" "5500601" "5533123" "5995629" "6154734" "6327661" "6419159" "6510518" "6594760").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/20 14:32
S16 2	32	("4932053").URPN.	USPAT	OR	ON	2005/09/20 15:02
S16 3	1	("4932053").PN.	US-PGPUB; USPAT	OR	OFF	2005/09/20 15:05

EAST Search History

S16 6	26	(dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (key\$1 or random near2 (value\$1 or number\$1)) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 15:01
S16 7	2485	713/172,174,192,193, 340;380/29-30;705/65.ccls. and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT	OR	ON	2005/09/21 07:59
S16 8	64	S167 and ("differential power analysis" dpa power current) and dummy	US-PGPUB; USPAT	OR	ON	2006/03/16 15:03
S16 9	2	S168 and ((simultaneous\$2 concurrent\$2 parallel "same time") with dummy)	US-PGPUB; USPAT	OR	ON	2005/09/21 08:03
S17 0	51	S168 and (simultaneous\$2 concurrent\$2 parallel "same time")	US-PGPUB; USPAT	OR	ON	2005/09/21 08:03
S17 4	510661	(power current) near5 (analy\$4 consumption attack\$3 monitor\$3 differential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:32
S17 6	524	((dummy unnecessary additional) near2 (process operation program instruction)) same (((second other another) near2 (processor cpu chip unit)) co\$1processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:39
S17 7	1130	((dummy unnecessary additional) near2 (process operation program instruction)) with (parallel concurrent simultaneous "same time")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:39
S17 8	3	S174 and S176 and S177	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:41
S17 9	71	S174 and S176	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:41

EAST Search History

S18 0	30	S174 and S176 and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:45
S18 1	72	S174 and S177 and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:04
S18 2	35	((("side channel" "power analysis") near5 attack) and ((dummy \$2necessary superfluous \$2important \$2relevant) near3 (operation instruction process program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 20:00
S18 3	8	S182 and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 20:02
S18 4	634	((multiple or plural\$3 or second or other) near2 processor\$2) multi\$1processor co\$1processor) with (cryptograph\$2 encrypt\$3 decrypt\$3 cipher\$3) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 13:25
S18 5	17	S184 and ((dummy or fake or false or disguis\$3) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3 or program or operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 13:26
S18 6	27	(dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (key\$1 or random near2 (value\$1 or number\$1)) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 15:02
S18 7	2608	713/172,174,192,193, 340;380/29-30;705/65.ccls. and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT	OR	ON	2006/03/17 17:07

EAST Search History

S18 8	67	S187 and ("differential power analysis" dpa power current side\$1channel (side adj channel)) and dummy	US-PGPUB; USPAT	OR	ON	2006/03/16 15:04
S18 9	0	("6725374").URPN.	USPAT	OR	ON	2006/03/16 15:16
S19 0	3	("5623548" "5838796" "6061449").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/16 15:27
S19 2	91	ugon.in.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 11:02
S19 4	2	ugon.in. and (power same smart)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 11:04
S19 5	156	380/1-2.ccls. and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT	OR	ON	2006/03/17 19:11
S20 0	20	curiger.in.	US-PGPUB; USPAT	OR	ON	2006/03/17 17:23
S20 1	2	S195 and ((dummy extraneous superfluous) near2 (operation process circuit hardware calculation))	US-PGPUB; USPAT	OR	ON	2006/03/17 18:15
S20 2	10	S195 and ((power near2 (analysis monitor\$3)) (side\$1channel (side adj channel)) same attack)	US-PGPUB; USPAT	OR	ON	2006/03/17 18:17
S20 5	32	("4932053").URPN.	USPAT	OR	ON	2006/03/17 19:25
S20 9	55	((("side channel" side\$1channel (power near2 analysis)) near5 attack) and ((dummy \$2necessary superfluous \$2important \$2relevant extraneous mock) near3 (operation instruction process program circuit hardware))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 20:08
S21 0	15	S209 and (@ad<"20000108" or @rlad<"20000108")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 20:08